

User manual

Spring for Baby Hammock

Important: Read the user manual carefully
and keep it for future use.




moonboon®
kids & baby studio

User Manual

The Moonboon baby hammock spring is designed for use with the Moonboon hammock. The spring is compatible with the Moonboon hammock motor.

What is included?


- 1 spring with safety strap and swivel snap hook
- 1 cotton cover
- 1 safety snap hook with plastic parts
- 2 plastic parts for attaching to the metal mounts of the spring



Assembly


1 First see to the mounting: ceiling hook, door frame clamp, or tripod stand.

2 Place the cover around the spring. Tie the cover with a bow in the top and bottom and stretch out the spring by pulling in each end to spread the cover out evenly.



3 The spring comes with 2 plastic parts. These plastic parts prevent the metal parts of the hammock from grinding against each other. Before hanging the spring, attach the plastic parts to the swivel snap hook, and the metal ring of the hammock as shown in the illustration on the right. Ensure that the plastic parts click audibly into place.

Hang the spring using the snap hook provided in the package. Note that the spring swivel snap hook must point down as shown in the illustration.



Please note

The bottom plastic part has been developed to fit Moonboon's baby hammock. You might find that it doesn't fit a baby hammock of a different brand.

Safety Checklist

- The spring will hold newborns and children up to 15 kg (33 lbs). Never place a child heavier than 15 kg (33 lbs) in the baby hammock.
- Always hang the baby hammock and spring in a closed hook and system. Always check that the carabiners are locked properly.
- Never use the spring without the safety strap.
- The child is never to be left in the hammock without supervision.
- Do not use the spring for any other purpose than to operate a baby hammock.